

Grate 36



ecosmartfire.com

Built-in Fireplace Grates



Grate 36 **Design features**





Jerry Can with Safety Spout & e-NRG bottle adaptor



Lighting Rod & Lighter



XL Baffles

Optional Accessories



Plasma Fire Screen



Twin Feet Fixings

1. Fluid[™] Concrete

Incredibly strong yet relatively lightweight, EcoSmart's concrete products incorporate revolutionary Fluid Concrete Technology. Fluid features a stain and impact-resistant barrier that protects the concrete from environmental weathering even under extreme conditions and long UV exposure.

2. Surround Colour

Grates are made from durable Fluid Concrete in a bold graphite concrete colour.

Convert an Existing Fireplace in Minutes

Transforming an existing wood burning fire into a clean burning bioethanol fireplace is easy. Simply install the grate on a level platform and fill it with liquid bioethanol. Then sit back and relax.

3. Burner Colours

Available with a Stainless Steel or Black Burner.

Warm your Home,

operational chimney.

Burning bioethanol fuel doesn't

produce any smoke, so you can

fireplace grate with or without an

use an EcoSmart smokeless

As traditional wood burning

fireplaces lose a lot of heat

recommend sealing off the chimney to increase efficiency.

You can do this by closing the

dampener or blocking off the

existing standards in the USA,

16647 BSI Certified and ACCC

Europe, UK and Australia.

O-TL listed to UL1370, EN

Safety Mandate compliant.

chimney with a metal plate.

Global Compliance This model complies with

through the chimney, we

Not the Planet

Ground Fixing Brackets

Models come with fixing brackets for permanently locating into a fixed position.

Low Maintenance

Bioethanol Fireplaces don't leave any carbon residue, so they are incredibly easy to keep clean. Just wipe them down with a damp cloth every now and then.

Installation

Install only after all gas connections or pipe lines have been disconnected and made safe by an appropriately gualified and licensed professional.

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group (), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or of any information provided herein or fany other disclosure relating to any product. MDG disclaims any and all liability arising out of the we a rapplication of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications of one texpand or otherwise modify MDGS terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estopped or otherwise, to any information provided herein tor in surial any and conditions. Images arising or resulting from such use or sale. Please scones from MDG to obtain written terms and conditions regarding product designed for such applications. Images arising or resulting from such use or sale. Please contact authorised tesponed from MDG to obtain written terms and conditions regarding product designed for such applications. Images arising or resulting from such use or sale. Please contact authorised tesponed from MDG to obtain written terms and conditions regarding product designed for such applications. Images arising or resulting from such use or sale. Please contact authorised tesponed from MDG to obtain written terms and conditions regarding product designed for such applications. Images are inflictative only.


Built-in Fireplace Grates



Grate 36 Specifications

The largest in the Grate Series. Bold appearance and elongated flame are perfect for reinvigorating an old, unused fireplace.

Burner Ventilation and Efficiency*



*These values are indicative only and may vary depending on the model purchased, installation, and the seasonal resource used to manufacture e-NRG. This model comes with fixing brackets for permanently locating into a fixed position. This model complies with existing standards in the USA, Europe, UK and Australia. O-TL listed to UL1370, EN 16647 BSI Certified and ACCC Safety Mandate compliant.

FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL

Disclaimer. All product specifications and data are subject to change without notice and believed to be correct at the time of publication. MAD Design Group (MDG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group (ADG), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "MAD Design Group "), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify MDG's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No linese, express or implied, by estoppel or otherwise, to any information provided herein terms and conditions do sentiely at their own risk and agree to fully indemnify MDG for any darge as aising or resulting from such use or asile. Prace contact authorise do to baha mytten terms and conditions regarding product selections.