

# 1400CV

## CURVED FIREPLACE



\* INDICATIVE IMAGE

ecosmart<sup>+</sup>  
Fire

The Curved Fireplace Series are intelligently designed for optimum heat output, flame enhancement and safety. Their high quality, steel construction has been designed to complement a wide range of building materials and finishes, enabling architects, interior designers and homeowners to create a traditional or modern look depending on the project brief.

INDICATIVE MODEL SHOWN BELOW

### Curvaceous Design

The unique curved feature radiates heat outward for full enjoyment and maximum fuel efficiency. Made from high quality mild steel, our Curved Series will last a lifetime.

### No Flue or Chimney Needed

Our fireplaces don't need a chimney to vent harmful gases as burning liquid bioethanol doesn't produce any smoke.

### No Gas or Electricity

All the fuel is housed within the self-contained burner so you don't have to run pipes or cables through your walls.



### Colour

Available in a timeless black finish, Curved Fireplaces come with stainless steel burners and glass charcoal.

### Zero Clearance

All the work has been done for you. Simply place a layer of insulation around the opening of your setting (standard building frame or existing fireplace cavity) and insert the fireplace into position.

### Quick & Easy Installation

EcoSmart fireplace inserts are completely self-contained, which makes them much simpler to install than gas or wood burning fireplaces. No flashing, roof work or plumbing is required for installation.

The pre-drilled holes make fixing the fireplace into position quick and easy - then dress around the fireplace with your chosen finishing touch.

### Sliding Glass Screen

This acts as both a safety barrier and fire shield against the wind.

# 1400CV



Not available in USA & Canada

<b>Application</b>	Indoor & Outdoor	
<b>Materials</b>	Mild Steel (Zinc Sealed), Toughened Glass, & Glass Charcoal as Decorative Media	
<b>Weight</b>	61.9kg [136.3lbs] Weight includes Burner and glass charcoal.	
<b>Colour &amp; SKU</b>	Black	ESF.1.F.1400CV

## BURNER INFORMATION\*


<b>Burner</b>	XL1200
<b>Fuel Type</b>	e-NRG Bioethanol
<b>Fuel Capacity</b>	10 Litres [2.6 Gallons]
<b>Heats on Average (when used indoors)</b>	Over 65 square metres [700 square feet]
<b>Burn Time</b>	9 - 14 hours (approx)
<b>Minimum Room Size</b>	115 cubic metres [4061 cubic feet] per fireplace.

Physical model dimensions should be verified against cut out dimensions BEFORE installation begins to confirm tolerances align.

\* The efficiency data outlined above is indicative only and may vary depending on the model purchased, weather conditions, installation and bioethanol used.



This model is a manufacturer approved surround for the UL Listed XL1200 burner. (Pending at time of print)



FOR MORE INFORMATION PLEASE REFERENCE THE CLEARANCE & INSTALLATION MANUAL

Disclaimer: All product specifications and data are subject to change without notice and believed to be correct at the time of publication. The Fire Company Pty Ltd (TFC), its affiliates, agents, and employees, and all persons acting on its or their behalf (collectively, "The Fire Company"), disclaim any and all liability for any errors, inaccuracies or incompleteness contained herein or in any other disclosure relating to any product. TFC disclaims any and all liability arising out of the use or application of any product described herein or of any information provided herein to the maximum extent permitted by law. The product specifications do not expand or otherwise modify TFC P/L's terms and conditions of purchase, including but not limited to the warranty expressed therein, which apply to these products. No license, express or implied, by estoppel or otherwise, to any intellectual property rights is granted by this document or by any conduct of TFC. Customers using or selling TFC products not expressly indicated for use in such applications do so entirely at their own risk and agree to fully indemnify TFC for any damages arising or resulting from such use or sale. Please contact authorised personnel from TFC to obtain written terms and conditions regarding products designed for such applications. Images are indicative only.